



The Yale arXiv Paper Template: Formatting Instructions and Usage Guide

Ngoc Bui^Y

^YDepartment of Computer Science, Yale University

Source Code: <https://github.com/ngocbh/yale-paper-template>

Abstract

This document is both a working example and a usage guide for the Yale arXiv paper template. It demonstrates how the template renders the title, authors, abstract, headings, citations, figures, tables, and mathematics, and it explains the document-class options and custom commands the template provides. To prepare your own paper, replace the title, author, abstract, and body text below with your own content while leaving the surrounding template machinery (`yalearxiv.cls`, `preamble.tex`, and `command.tex`) intact. The abstract should be limited to a single paragraph; it is typeset in 10-point type inside the rounded title box at the top of the first page, and is optionally followed by a list of keywords.

Keywords: Yale template, L^AT_EX, arXiv preprint, formatting instructions

1. About this template

The instructions below are suggestions to help your paper inherit a consistent, Yale-branded appearance. This template is a Yale-styled adaptation of the UC Berkeley RAIL report class, which in turn derives from the Google DeepMind technical-report template; it is distributed under the Creative Commons Attribution–ShareAlike 4.0 license. The present file, `main.tex`, doubles as a demonstration and as documentation: everything you see rendered here is produced by the same commands you will use in your own paper.

The formatting behavior of the template is summarized in Sections 2, 3, and 4 below. Section 5 documents features specific to this Yale template, and Section 6 explains how to compile the paper.

1.1. What is in this template

The template is a small collection of files rather than a single `.sty`:

- `main.tex` — the paper itself (this file). It is the only file you normally edit when writing.
- `yalearxiv.cls` — the document class. It sets the fonts, colors, margins, title box, and the header/footer. **It is best left unmodified** unless you intend to change the template’s look for everyone who uses it.
- `preamble.tex` — third-party packages (`natbib`, `booktabs`, `amsmath`, `listings`, and so on). Add a package you need here.
- `command.tex` — personal macros and the theorem-like environments (see Section 4.5). Add your own shortcuts here.
- `main.bib` — the B_IB_T_EX database for your references.
- `figures/` — image assets, including `yale_logo.png` used by the `logo` class option.

1.2. The document class and its options

The paper begins with a single `\documentclass` line:

```
\documentclass[11pt,letterpaper,logo]{yalearxiv}
```

The available options are:

- `10pt` / `11pt` / `12pt` — base font size.
- `letterpaper` — US Letter paper (recommended for arXiv).
- `twocolumn` — switch to a two-column layout (single column by default).
- `logo` — print `figures/yale_logo.png` in the top-left of the first page.
- `nonumbering` — use unnumbered section headings.
- `copyright` — add a copyright line to the first-page footer.
- `internal` — mark the document as internal (enables the watermark/report-number footer).
- `address` — print an affiliation line in the footer.

To fix the date shown in the header, redefine `\today` in your preamble:

```
\renewcommand{\today}{1 January 2026}
```

1.3. Title, authors, and affiliations

Set the paper title with `\title{...}` and a short header title with `\runningtitle{...}`. Authors go in a single `\author{...}` block; separate names with commas and put each affiliation or link on its own line with `\\`. The `\yale` command defined in the preamble produces the small superscript ^Y marker used to tie authors to their affiliation; it is an ordinary macro that you may edit or remove. The title, authors, and abstract are all rendered together inside the rounded title box by `\maketitle`.

2. General formatting

The class fixes the page geometry, fonts, and spacing for you; you should not need to touch any of it. The body text is set in Bitstream Charter (`XCharter`) with a matching Latin-Modern typewriter font, on US Letter paper. Paragraphs are separated by a half-line of vertical space and are not indented, so a blank line in the source starts a visually distinct paragraph.

The title is set in Yale blue, bold, and centered inside a rounded box at the top of the first page. All headings are bold and flush left. It is worth paying attention to the guidance in Section 4 regarding citations, figures, tables, and mathematics, and we suggest keeping the margins, text width, and font sizes defined in the class file.

3. Headings

First-level headings are bold and, by default, numbered. Use `\section`, `\subsection`, and `\subsubsection` for the first three levels. If you prefer unnumbered headings throughout, pass the `nonumbering` class option.

3.1. Second-level headings

Second-level headings are produced with `\subsection` and are slightly smaller than first-level headings.

3.1.1. Third-level headings

Third-level headings are produced with `\subsubsection` and are set in bold italic.




Figure 1: Sample figure caption. Explain what the figure shows and, where possible, state its key take-away in the caption itself.

Paragraph headings. There is also a `\paragraph` command, which sets its heading in bold, flush left, and run into the start of the paragraph, as shown here. Use it for the finest level of structure.

4. Citations, figures, tables, and mathematics

These instructions apply to every paper written with the template.

4.1. Citations within the text

The `natbib` package is loaded in `preamble.tex` and configured for a numeric, square-bracket citation style via `\setcitestyle{square}`; the bibliography style is `plainnat`. Use `\citet` for a textual citation that reads as part of the sentence, and `\citep` for a parenthetical one. For example, `\citet{Alpher02}` produces “Alpher [2002] showed that frobnication is possible,” whereas `\citep{Alpher03,Alpher04}` produces a grouped parenthetical citation [Alpher and Fotheringham-Smythe, 2003; Alpher et al., 2004]. Supplementary material can be cited in the same way [LastName, 2014]. Any consistent citation style is acceptable; to change it, edit the `\setcitestyle` line in the preamble and the `\bibliographystyle` line near the end of this file.

4.2. Footnotes

Use footnotes sparingly. Indicate a footnote with the `\footnote` command,¹ and note that footnote marks are placed *after* punctuation.

4.3. Figures

All artwork should be neat, clean, and legible, and figures are numbered consecutively. The figure caption is placed *below* the figure. Include raster or vector art with `\includegraphics` from the `graphicx` package (loaded for you), and it is best to give the width as a multiple of `\linewidth` so the figure scales with the text block:

```
\includegraphics[width=0.8\linewidth]{figures/your_figure.pdf}
```

Figure 1 shows a placeholder produced without an external file. You may use color, but try to keep captions and the paper body legible in both color and grayscale.

¹This is a sample footnote; it is typeset at the bottom of the page on which it appears.

Table 1: Sample table caption. Explain what the table shows and add a key take-away message to the caption.

Part		
Name	Description	Size (μm)
Dendrite	Input terminal	≈ 100
Axon	Output terminal	≈ 10
Soma	Cell body	up to 10^6

4.4. Tables

All tables should be centered, and the caption is placed *above* the table. Publication-quality tables typically avoid vertical rules; the `booktabs` package (loaded for you) provides `\toprule`, `\midrule`, and `\bottomrule` for clean horizontal rules, as illustrated in Table 1.

4.5. Mathematics, theorems, and definitions

Use $\text{\LaTeX}$ (or `amsmath`) commands for display math; avoid bare $\$ \$ \dots \$ \$$. Numbered equations use the `equation` environment:

$$\mathcal{L}(\theta) = \frac{1}{n} \sum_{i=1}^n \ell(f_{\theta}(x_i), y_i). \quad (1)$$

The macros in `command.tex` provide common shortcuts (for example `\R` for $\mathbb{R}$, `\E` for $\mathbb{E}$, and `\argmin` / `\argmax`).

The file `command.tex` also defines a family of theorem-like environments that share a single counter: `definition`, `theorem`, `lemma`, `corollary`, `proposition`, `remark`, `observation`, `claim`, `example`, `assumption`, and `conjecture`. For instance:

Definition 4.1 (Frobnication). *A map $f : \mathcal{X} \rightarrow \mathcal{Y}$ is frobnicable if there exists a foo filter g such that $g \circ f$ is the identity on $\mathcal{X}$.*

Theorem 4.2. *Every frobnicable map admits a foo filter that is unique up to isomorphism.*

Proof. The claim follows directly from Definition 4.1 and the uniqueness of adjoints; the `proof` environment supplied by `amsthm` adds the closing $\square$ symbol automatically. $\square$

5. Extra features of the Yale template

The following features go beyond a plain article class and are specific to this template.

5.1. Header and footer

On the first page, the `logo` option prints the Yale logo in the top-left corner and, if you set `\paperurl{\dots}`, its value is printed as a link in the top-right corner. From the second page onward, the header shows the `\runningtitle` centered and the page number in the bottom-right. The `copyright`, `internal`, and `address` options add the corresponding lines to the footer.

5.2. Corresponding author, paper URL, and keywords

Several optional metadata commands are available:

- `\keywords{a, b, c}` — prints a keyword list beneath the abstract inside the title box (as shown on the first page).
- `\paperurl{...}` — prints a project or preprint URL in the first-page header.
- `\correspondingauthor{...}` — enables a corresponding-author note in the first-page footer.
- `\reportnumber{...}` — prints a report number in the footer when the `internal` option is active.

5.3. Callout boxes

The template preloads `tcolorbox`. This file defines a `simpleElegantQuote` environment for highlighting a key sentence:

A paper template should get out of your way: set the type once, set it well, and let the author think about the ideas rather than the margins.

5.4. Code and prompt listings

`preamble.tex` defines a `promptstyle` for the `listings` package, useful for verbatim code, configuration, or LLM prompts:

```
System: You are a helpful assistant.
User: Summarize the Yale arXiv template in one sentence.
Assistant: It is a Yale-branded article class that fixes fonts, colors, and
         layout so you only have to write the paper.
```

6. Building the paper

Prepare submission files with paper size “US Letter” and generate the PDF directly with `pdflatex` so that only Type 1 or embedded TrueType fonts are used. The simplest way is `latexmk`, which runs the full `pdflatex` → `bibtex` → `pdflatex` cycle so that citations and cross-references resolve in one command:

```
latexmk -pdf -interaction=nonstopmode main.tex
```

This produces `main.pdf`. To remove build artifacts, run `latexmk -c` (keep the PDF) or `latexmk -C` (also remove the PDF). See `README.md` for environment-specific notes.

Acknowledgments

Use an unnumbered first-level heading for acknowledgments, placed at the end of the paper before the references. This Yale template adapts the UC Berkeley RAIL report class and the Google DeepMind technical-report template, used under the CC BY-SA 4.0 license.

References

FirstName Alpher. Frobnication. *IEEE TPAMI*, 12(1):234–778, 2002.

FirstName Alpher and FirstName Fotheringham-Smythe. Frobnication revisited. *Journal of Foo*, 13(1):234–778, 2003.

FirstName Alpher, FirstName Fotheringham-Smythe, and FirstName Gamow. Can a machine frobnicate? *Journal of Foo*, 14(1):234–778, 2004.

FirstName LastName. The frobnicatable foo filter, 2014. Face and Gesture submission ID 324. Supplied as supplemental material `fg324.pdf`.

A. Additional material

Content placed after `\appendix` is lettered rather than numbered (Appendix A), and the axiom-style counters defined in `command.tex` reset so they read *A.1*, *A.2*, and so on. Use the appendix for proofs, extended tables, additional experiments, or verbatim prompts that support — but are not essential to — the main text.